




Sub B2
Cent.

7. (Amended) The olefin copolymer as claimed in claim 1, which is obtained by polymerizing a cyclic olefin, an aromatic vinyl compound and an aliphatic α -olefin having from 2 to 20 carbon atoms in the presence of an olefin polymerization catalyst that comprises (D) at least one selected from transition metal compounds of groups 4 to 6 of the Periodic Table and transition metal compounds of Groups 8 to 10 of the Periodic Table of the following general formulae (1) to (4), and (E) at least one selected from a compound group of (e-1) oxygen-containing organometallic compounds, (e-2) ionic compounds capable of reacting with the transition metal compounds to form ionic complexes, and (e-3) clay, clay minerals and ion-exchanging layered compounds:



wherein Q^1 represents a bonding group that crosslinks the two conjugated five-membered cyclic ligands $(C_5H_{5-a-b}R^1_b)$ and $(C_5H_{5-a-c}R^2_c)$; Q^2 represents a bonding group that crosslinks the conjugated five-membered cyclic ligand $(C_5H_{5-a-d}R^3_d)$ and the group Z^1 , R^1 , R^2 , R^3 and R^4 each represent a hydrocarbon group, a halogen atom, an alkoxy group, a silicon-containing hydrocarbon group, a phosphorus-containing hydrocarbon group, a nitrogen-containing hydrocarbon group, or a boron-containing hydrocarbon group; and a plurality of these groups, if any, may be the same or different, and may be bonded to each other to form a cyclic structure; a represents 0, 1 or 2; b, c and d each represent an integer of from 0 to 5 when a = 0, or an integer of from 0 to 4 when a = 1, or an integer of from 0 to 3 when a = 2; e is an integer of from 0 to 5; M^1 represents a transition metal of Groups 4 to 6 or Groups 8 to 10 of the Periodic Table; M^2 represents a transition metal of Groups 8 to 10 of the Periodic

Sub B3
Cont.
A
Table; L¹ and L² each represent a covalent-bonding or coordination-bonding ligand, and they may be bonded to each other; X¹, Y¹, Z¹ and W¹ each represent a covalent-bonding or ionic-bonding ligand, and X¹, Y¹ and W¹ may be bonded to each other.

8. (Amended) Films and sheets formed from the olefin copolymer of Claim 1.--

Please add the following claim:

Sub B3
A2
--9. (New) A method of making a film or sheet comprising forming the olefin copolymer of Claim 1 into said film or sheet.--